

# The New Generation

## ■ PATENTED CRANKCASE

Allows easy access and maintenance of crankshaft and connecting rods. Reduces repair time. Lateral pockets allow for oversize bearings.

## ■ NEW HIGH PRESSURE PACKINGS

High pressure packings are lubricated by inlet water, resulting in lower operating temperature of packings and plungers.

## ■ HIGH PERFORMANCE CONNECTING RODS

New high performance alluminum alloy material enables extra load while reducing vibration, extending life and quiet operation

## ■ STAINLESS STEEL MANIFOLD

Stainless steel manifold is standard and provides ultimate strength and durability.

## ■ SYMMETRICAL CRANKCASE

The crankcase is symmetrical and can be turned, allowing crankshaft to project from left or right side.

## ■ OVERSIZED BEARINGS

SKF oversized tapered roller bearings provide longer life and smooth operation.

## Pumps

### HF Series




	GPM	PSI	RPM
HF18A	8.06 GPM	8700 PSI	800 RPM
HF22A	10.08 GPM	7250 PSI	1000 RPM
HF25A	12.05 GPM	5800 PSI	800 RPM
	19.44 GPM	4060 PSI	1000 RPM

### KE Series

	GPM	PSI	RPM
KE20A	8.3 GPM	4350 PSI	1450 RPM
KE22A	10.1 GPM	3650 PSI	1450 RPM
KE24A	12.0 GPM	3050 PSI	1450 RPM
KE28A	16.3 GPM	2150 PSI	1450 RPM
KE30A	18.8 GPM	1850 PSI	1450 RPM



### KF Series



	GPM	PSI	RPM
KF30A	28.0 GPM	2600 PSI	1000 RPM
KF36A	32.2 GPM	2150 PSI	800 RPM
	36.2 GPM	2050 PSI	900 RPM
	40.4 GPM	1900 PSI	1000 RPM
KF40A	45.0 GPM	1600 PSI	900 RPM

