
- Designed specifically for carwash applications
- Made in the USA
- A cost effective solution to your chemical application needs




SPECIFICATIONS

MODEL	100938	100853	
Orifice	1.6 mm	2.1 mm	
Flow Rate	2.0 to 3.0 GPM	3.0 to 5.0 GPM	
O-Ring Material	EPDM		
Inlet	3/8" NPT-M		
Outlet	3/8" NPT-M		
Max. Temperature	190 ⁰ F		
Hose Barb	1/4"		
Weight	.3 lbs.		
Materials	CPVC, Kynar, EPDM		

DIMENSIONS







SECTION A-A SCALE 2 : 1



Fixed Chemical Injectors GENERAL PUMP A member of the Interpump Group CPVC Body and Nozzle

INSTALLATION

This product is to be used with clean, fresh water. For different or corrosive liquids, contact GP Technical Service Department. With not clean liquids, appropriate filtration should be installed. Select the injector based on the nominal operating rating: system rated pressure, max flow and max temperature. Install valve with direction arrow pointing downstream. For proper operation a control device such as a dual lance wand, quick couple nozzles, or an adjustable nozzle holder must be used to lower the system pressure at the nozzle.

Under no circumstances should the pressure of the system exceed the maximum rated pressure of any component.

TROUBLESHOOTING

PROBLEM	CAUSE	SOLUTION	
Injector will not draw liquid	Incorrect nozzle	Check and change nozzle	
	System is not in low pressure mode	Change or adjust nozzle to put system in low pressure mode	
	Discharge hose is too long	Reduce length of discharge hose or change injector*	
	Chemical line is clogged	Clear chemical line of obstruction	
Rate of draw seems too slow	Discharge hose is too long	Reduce length of discharge hose or change injector*	
	Air leak in chemical line	Locate and repair leak	
	Chemical is too viscous	Reduce chemical with water to decrease its viscosity	
Chemical injector is leaking from hose barb	Obstruction in hose barb checkvalve	Disassemble and remove obstruction	
	Damaged o-ring in checkvalve	Remove and replace o-ring	
Excessive pressure load	Clogged injector	Clear injector orifice of obstruction	
on pump, motor or engine	Improperly sized injector orifice	Change orifice*	
	*Contact GP Technical Service for Assista	nce	

PARTS LIST

Item	Part Number	Description	QTY.
1	660146	Housing, Injector, CPVC	1
2	720038	Spring, Conical Hastalloy	1
3	660114	Ball, Injector, 7/32" Dia.	1
4	701059	O-ring, 50 DURO, EPDM (100853)	1
	701032	O-ring, 50 DURO, EPDM (100938)	1
5	660110	Retaining Ring, Kynar	1
6	660126	Hose Barb, Kynar	1
7	660149	Nozzle, Injector, CPVC (100853)	1
	660179	Nozzle, Injector, CPVC (100938)	1

