

DHRP50150

Hose Reels




SPECIFICATIONS

| PART NUMBER | DHRP50150 |
|------------------------|------------|
| 3/8" Hose Capacity | 150 ft. |
| Swivel Pressure Rating | 5000 PSI |
| Inlet | 3/8" NPT-M |
| Outlet | 3/8" NPT-F |
| Max. Temp | 300° F |

FEATURES / BENEFITS

- Direct hand-crank rewind with locking pin
- Solid steel construction
- Folding handle
- Durable powdercoated finish
- Full flow swivel

DIMENSIONS (in/mm)




General Pump
is a member of
the Interpump Group



Ref 310135 Rev B
09-20



PARTS LIST



| ITEM | PART # | DESCRIPTION | QTY |
|------|---------|-------------------|-----|
| 1 | 2103235 | ASSY, SUB, HUB | 1 |
| 2 | 2540079 | BASE, HOSE REEL | 1 |
| 3 | 2203415 | WASHER | 2 |
| 4 | 2530025 | BUSHING | 2 |
| 5 | 2720010 | SPRING | 1 |
| 6 | 2103237 | ASSY, CLAMP, HOSE | 1 |
| 7 | 2200032 | RING | 1 |

| ITEM | PART # | DESCRIPTION | QTY |
|------|---------|----------------------------|-----|
| 8 | 2720004 | SPRING | 1 |
| 9 | 2530102 | PIN, LOCK | 1 |
| 10 | 2660231 | BUSHING | 1 |
| 11 | 2103130 | SWIVEL, HOSE REEL, FORGED | 1 |
| 12 | 2203416 | WASHER, SWIVEL | 1 |
| 13 | 2530112 | FITTING, 1/2NPT-MX3/8NPT-F | 1 |
| 14 | 2103336 | FOLDING HANDLE KIT | 1 |
| | 2100278 | REPAIR KIT | |

ASSEMBLY INSTRUCTIONS

1. Connect the handle to the flange. Nuts go on handle side of flange.
2. Use (4) 3/8" or 10 mm bolts when securing the hose reel to ceiling or wall.
3. Use thread sealant (not provided) on inlet threads and on outlet hose (not provided).
4. Attach pigtail end to high pressure pump outlet.
5. Attach hose reel hose to swivel on hose reel
6. The hose reel is ready for operation.

SAFTY PRECAUTIONS

1. Make sure incoming pressure does not exceed the rated pressure.
2. Use proper eye protection when assembling and using the hose reel.
3. Assemble the hose reel on a clean workbench free of debris and moisture.
4. Use soap and water when checking for air leaks.
5. Keep children away from work area.

WARNING!

Exposure of skin directly to pressurized air or fluids could result in severe bodily injury!